



ISO 9001:2000 CERTIFIED

BAR'S LEAKS TECHNICAL BULLETIN

Tech Bulletin #: TB-R6-1

Page 1 of 1

Date 1st Issued: June 1, 2006

Date Revised: April 16, 2008

Bar's Leaks Radiator Stop Leak And Conditioner

Part #: R6

STOP LEAK AND CONDITIONER

Bar's Leaks has millions of tiny particles to permanently seal leak in plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets and freeze plugs. In addition, it inhibits the formation of rust and scale, neutralize pH imbalance, controls electrolysis, lubricates and seals internal, external and coolant-to-oil leaks. The pre-dissolved liquid formula is available in two sizes. Part number R6 (5.5 oz) is for 4-cylinder engines; use part number C16 (10 oz) on 6 & 8 cylinder engines or for hard to stop leaks on 4-cylinder engines. Bar's Leaks Stop Leak and Conditioner is compatible with both conventional green (silicate-based) and extended life red/orange or yellow (OAT) antifreeze. For most vehicles leaks stop in only a few minutes.



MOST COMMON COOLING SYSTEM PROBLEMS

THE SOLUTION, BAR'S LEAKS RADIATOR STOP LEAK AND CONDITIONER

- Radiator Leak
- Freeze Plug Leak
- Gasket Leak
- Head Leak
- Block Leak
- Heater Core Leak

- Seals Leaks
- Conditions System
- Inhibits Rust and Corrosion
- Prevents Corrosion
- Lubricates Water Pump Seals
- Helps Control Electrolysis

DIRECTIONS

1. Shake vigorously
2. Remove radiator cap when engine is cool.
3. Empty contents into radiator.
4. Fill radiator and reservoir to proper level.
5. Reinstall radiator cap.
6. Drive/idle engine for 15 minutes at normal operating temperature.
7. If leak persists, a second application may be necessary.

Part Number: R6
 UPC Item: 0 46087 00001 4
 UPC Case: 1 00 46087 00001 1
 Bottle Size: 5.5 fl. oz. (163ml)
 Bottle Dimensions: 2.8 x 1.8 x 4.5
 Bottle Cube: 23
 Case Pack: 12 bottles per case
 Case Size: 8 x 6.5 x 5.0
 Case Cube: 260
 Case Weight: 6 pounds
 Pallet: TI 30 HI 9 Total 270
 Pallet Height: 50 inches
 Tariff Code: 3824.90.9270

DOSAGE

One bottle treats systems up to two gallons